



Ideas for a world that needs better products, not just more.
Sanyo is over 37,000 employees with manufacturing facilities all over ne world.

Sanyo is laser technology, computers, appliances, microfilm facsimile transmitters, television, audio components, TV cameras and more. Over 110 product categories.

Sanyo is new ideas with 7,680 international patents and another 15,000 pending. Like the world's first plant to convert waste vinyl plastic into fuel oil. Life the first zinc-air storage battery with high energy density to power future electric automobiles. Like the world's most compact video tape recorder. Like the first "'talkie slide system" that puts a 30 second audio message on standard 35 mm slides. Like the world's first computerized hotel guest billing system using laser-holography and digital circuitry. Or like the first laser-beam microfilm facsimile transmission system.


Sanyo is a prime manufacturer. Unlike other manufacturers who merely assemble parts produced by others, Sanyo manufactures almost all the component parts, itself, that go into Sanyo products.

Sanyo is triple quality control. Every component part, every completed product undergoes rigid performance tests and inspections before shipping... including a 24 hour operating test for each television set. Sanyo even has a packaging test center to insure products reaching destinations in perfect condition.

Sanyo is one of the world's leading manufacturers of color television sets, producing over one million a year. Sanyo is the world's largest manufacturer of tape recorders.

Sanyo is millions of satisfied customers in 133 countries. Sanyo, one of the world's largest prime electronics manufacturers.





# Model RP 5130/5131 Portable AM/FM Solid-State Radio

- ☐ A rugged sensitive AM/FM personal portable radio with compact design and excellent sound.
- ☐ Large slide rule tuning dial.
- ☐ Built-in AM and FM antennas.
- ☐ Built-in AFC.
- ☐ Earphone jack and a wrist strap.
- ☐ Power is supplied by four penlight "AA" cells.

#### **Specifications**

Frequency range . . . . AM: 535 - 1,605KHz

FM: 88 - 108MHz

Speaker ..... 3-1/8" Unicone

Power source . . . . . . 4 Penlight "AA" batteries

Power output . . . . . . 500mW

Antennas ..... AM: Built-in ferrite bar

FM: Telescopic rod

Dimensions . . . . . . . 6-5/16"W x 4-3/8"D x 1-7/8"H

Weight . . . . . . . . . . . . . . 7/8 lbs.





#### Model RP 5140 Portable AM/FM Solid-State Radio

- □ A compact precision-engineered portable radio featuring rugged aircraft type styling and Sanyo's unique geometric tuning dial.
- ☐ High output power is provided by a modern solid-state chassis and large unicone speaker.
- ☐ Built-in AM and FM antennas.
- ☐ Built-in AFC.
- ☐ High impact molded plastic case and carrying strap make the RP 5140 rugged, go-anywhere portable radio.

#### **Specifications**

Frequency range .....AM: 535 — 1,605KHz
FM: 88 — 108MHz

Speaker .....3-1/8" Unicone
Power source .....4 Penlight "AA" batteries
Power output .....500mW

Antennas ..........Built-in ferrite bar

FM: Telescopic rod
Dimensions .......6-7/8"W x 1-7/8"D x 4-1/4"H

Weight ......3/4 lbs.





# Model RP 5150 Portable AM/FM Solid-State Radio

- ☐ Compact, performance-engineered portable radio with high fidelity sound from AM and FM bands.
- ☐ Superb styling and Sanyo's exclusive geometric 90° tuning dial.
- ☐ AFC with defeat switch.
- ☐ High/low tone control.
- ☐ Operates on four penlight batteries or on household AC power.
- ☐ Input jack for optional AC adapter.
- ☐ Earphone jack.
- ☐ High-impact, molded plastic case with sturdy carrying strap.

☐ Famous Sanyo reliability. Almost all of the parts that go into Sanyo products are manufactured by Sanyo itself. Every component part, every completed radio undergoes triple-quality control.

# **Specifications**

Frequency range

AM ..... 535-1,605 KHz FM ...... 88-108 MHz Speaker ..... 31/8" Unicone

Power source .. DC: 4 penlight cells

AC: 120 volt, 60 Hz with

optional adapter

Power output . . . 600 mW

Dimensions . . . . 71/2 "W x 2"D x 41/2 "H

Weight . . . . . . . 1 lb. 2 ozs.





### Model RP 5330 Portable AM/FM Solid-State Radio

- ☐ Solid-state chassis performanceengineered for superb, high fidelity performance.
- ☐ High sensitivity on AM and FM bands to pull in even the weakest stations clearly.
- ☐ Built-in AFC.
- ☐ Operates on household 120 volts, 60 Hz AC current, or four "C" cell batteries.
- ☐ Built-in AC line cord.
- ☐ Aircraft-type vernier tuning dial.
- ☐ Calibrated volume control.
- ☐ High/low tone control.
- ☐ Rugged styling in high-impact, molded cabinet.

- ☐ Earphone jack for private listening.
- ☐ Famous Sanyo reliability. Almost all of the parts that go into Sanyo products are manufactured by Sanyo itself.

  Every component part, every completed radio undergoes triple-quality control.

#### **Specifications**

Frequency range

4 "C" cells

Power output . . . . 500 mW

Dimensions . . . . . 95/8" W x 23/4" D x 73/4"H

Weight ......... 2 lbs., 2 ozs.





## Model RP 6000 AM/FM Precision Portable Stereocast Radio

- ☐ Superb styling and performance.
- ☐ Great sound 1,500mW output.
- ☐ Tuning and battery level meter.
- ☐ High/low tone control.
- ☐ Dial light.
- ☐ AFC with defeat switch.
- ☐ Equipped with circuitry and output jacks for Sanyo Stereocast radio adapter.
- ☐ External speaker jack.
- Operates on four "C" cells, AC (with AC Adapter included), or from car battery with optional accessory cord.
- ☐ Adjustable shoulder strap.

## **Specifications**

Frequency range .... AM: 535 - 1,605KHz

FM: 88 — 108MHz

Speaker ..........3-1/2" Unicone

Power source . . . . . . AC 120 volts, 60Hz

DC 4 "C" cells or DC 6 volts external

DO O VOILS CA

Power output .....1,500mW

Dimensions .....8-1/8"Wx2-1/4"Dx4-3/4"H

Weight ......1-3/4 lbs.



# Model RM 5010/5011 AM/FM Digital Clock Radio

- ☐ A modern digital clock radio with high fidelity sound.
- ☐ Large, lighted flip-type numerals for easy-to-read time display.
- ☐ Sixty-minute sleep timer for automatic shut-off.
- ☐ Wake to music with 24 hour memory for day-to-day wake-up without resetting.
- ☐ Built-in AM/FM antennas.
- ☐ Built-in AFC.
- ☐ Famous Sanyo reliability. Almost all the parts that go into Sanyo products are manufactured by Sanyo itself. Every component part, every completed radio undergoes triple-quality control.

- ☐ Earphone or pillow speaker jack.
- ☐ Slim modern styling.

## **Specifications**

Frequency range . . . . AM: 535 - 1,605KHz

FM: 88 - 108MHz

Speaker . . . . . . . . 3-1/8" Unicone Power source . . . . . . 120 volts, 60Hz

Power output . . . . . 500mW

Dimensions . . . . . . . 9-5/16"W x 6-3/4"D x 3"H

Weight . . . . . . . . . 1-3/4 lbs.





# Model RM 5030 AM/FM Digital Clock Radio

- ☐ Deluxe two band digital clock radio with easy-to-read flip type lighted numerals.
- $\square$  Sleep timer and slim modern molded plastic cabinet.
- ☐ Full fidelity sound, sensitive AM/FM circuitry.
- ☐ Built-in AFC.
- ☐ Continuous rotary type tone control.
- ☐ Wake up to music or buzzer alarm.
- ☐ 24 Hour alarm memory for day-to-day wake-up without resetting.
- ☐ Built-in AM and FM antennas.
- ☐ Earphone output jack permits private listening from optional earphone or pillow speaker.

#### **Specifications**

Frequency range . . . . AM: 535 - 1,605KHz

FM: 88 - 108MHz

Speaker ..... 3-5/8" Unicone

Power source . . . . . . 120 volts, 60 Hz AC

Power output ..... 700mW

Dimensions......... 10-1/2"W x 7-1/4"D x 3-5/8"H

Weight . . . . . . . . . . 3.9 lbs.



# Model RM6000 100% Solid State Electronic AM/FM Digital Clock Radio

- ☐ Super deluxe all new computer-type L.E.D. time readout clock dial.
- ☐ Completely silent clock.
- ☐ AM/PM indicator light.
- $\hfill\Box$  Full fidelity sound AM/FM radio with lighted dial.
- ☐ Built-in AFC.
- ☐ Wake to music or alarm buzzer.
- $\square$  24 hour alarm memory for day-to-day wake-up with resetting.
- ☐ 9 minute "touch" snooze alarm.
- ☐ Sleep countdown—up to 1 hour.
- $\hfill \square$  Separate hour/minute control for easy accurate setting.
- ☐ Power failure indicator—AM/PM light flashes when there has been a power interruption.
- ☐ High/low time readout brightness control.
- ☐ Alarm set indicator.
- $\Box$  High/low tone control—large full fidelity 3 % " speaker.
- ☐ Earphone jack for private listening.

# SPECIFICATIONS:

Frequency range .....AM: 535-1605 KHz

FM: 88-108 MHz

Speaker size ......35/8" Unicone

Power source . . . . . . 120 Volt AC-60 Hz

Power output ......700 mW

# **ACCESSORIES**




### **RB 9000**

Stereocast adapter package contains FM Stereo amplifier, volume control, stereo indicator light and headphones. No batteries required.



#### **RB 9080**

Stereocast adaptor package contains FM stereo amplifier, volume control, stereo indicator light and 8-ohm stereo headphones. No batteries required.



#### RB 9090 Stereocast Adaptor

FM stereo amplifier, volume control, stereo indicator light. Jack for standard stereo headphones. No batteries required.



#### RB 9191

8-ohm Stereo Headphones.



D6 111

AC adaptor for use with RP 5150 and RP 6000 radios.

